MEDICAL PRODUCTS CATALOG





EST.1969 TANAKA SANGYO Co.,Ltd.



Digital Blood Pressure Monitor **Tensiometros Digitales**

K2-920







Upper Arm Type of measurement part



with English Instruction E&S



with English & Spanish Instruction



with CE-Mark



according to an order, it corresponds with CE-Label







006P Type of Dry Cell to be used

Free Sale Certificate offer of Japan Ministry of Health, Labour and Welfare is possible



Sold Out / New model to be released



Touch-Key Operation Toucn-Key Operation

Measurement on Inflation WHO Classification Models

Touch-Key Operation Fuzzy Inflation Cuff Condition Indication

Design Direction by Kazuo Kawasaki
WHO Classification Models

No.K2-232

E&S

- Upper Arm CE AA · Blood Pressure & Pulse Rate Measuring
- Memory & Clock Function
- · Body Motion Indicator
- Pulse Rhythm Indicator
- Automatic Inflation System
- · Automatic Power Shut Off
- 6 Error Indication

No.K2-231

AC-Adaptor (option) use is possible

Measuring Range: Systolic 50-250mmHg

40-180mmHg Diastolic Pulse Rate 40-160bpm

Weight: 250g (without batteries)

Packing: 20sets/carton : 0.053m³, 14.9kg





- · Blood Pressure & Pulse Rate Measuring
- Memory & Clock Function
- · Body Motion Indicator
- Pulse Rhythm Indicator
- Reliability Indicator
- Automatic Inflation System
- · Automatic Power Shut Off
- 7 Error Indication
- AC Adaptor (option) use is possible

Measuring Range: Systolic 50-250mmHg

Diastolic 40-180mmHg Pulse Rate 40-160bpm

Weight: 250g (without batteries)

Packing: 20sets/carton : 0.053m³, 14.8kg



Measurement on Inflation

No.K2-920









- · Blood Pressure & Pulse Rate Measuring
- Memory & Clock Function
- Automatic Inflation System
- Automatic Power Shut Off
- 5 Error Indication

Measuring Range: Systolic 50-250mmHg

Diastolic 40-180mmHg Pulse Rate 30-199bpm

Weight: 100g (without batteries)

Packing: 40sets/carton : 0.075m³ 13.7kg



No.K2-233









- · Blood Pressure & Pulse Rate Measuring
- Memory & Clock Function
- · Body Motion Indicator
- Pulse Rhythm Indicator
- Automatic Inflation System
- Automatic Power Shut Off
- •7 Error Indication

Measuring Range: Systolic 50-250mmHg

Diastolic 40-180mmHg Pulse Rate 40-160bpm

Weight: 250g (without batteries) Packing: 40sets/carton

: 0.038m³,10.2kg



Measurement on Inflation

No.K2-2015

UpperArm CE AA







- · Blood Pressure & Pulse Rate Measuring
- Memory Function
- Automatic Inflation System
- Automatic Power Shut Off
- 5 Error Indication

Measuring Range: Systolic 50-250mmHg

Diastolic 40-140mmHg Pulse Rate 40-180bpm

Weight: 220g (without batteries)

Packing: 20sets/ carton : 0.053m³, 12.0kg



Long Size Cuff Measurement on Inflation

No.K2-2015M

Upper Arm CE AA









- Blood Pressure & Pulse Rate Measuring
- Memory & Clock Function
- Automatic Inflation System
- Automatic Power Shut Off
- 5 Error Indication

Measuring Range : Systolic 50-250mmHg

Diastolic 40-180mmH Pulse Rate 40-180bpm 40-180mmHg

Weight: 220g (without batteries)

Packing: 20sets/ carton : 0.053m³ 12.0kg





DIGITAL BLOOD PRESSURE MONITOR AND THERMOMETER CATALOG

ALP KE

CAN SERVE









- ·B. Blood Pressure & Pulse Rate Measuring
- Memory Function
- · Automatic Inflation System
- ·10 digits LCD & 300 dots bar LCD Indicator
- Measurement both Manually and Automatically
- 5 Error Indication

Measuring Range: Systolic 50-250mmHg

Diastolic 40-180mmHg Pulse Rate 40-160bpm

Power Supply: AC-Adaptor & Rechargeable Battery Weight: 1.26kg (without AC-Adaptor/Battery)

Packing: 4sets/carton : 0.056m³,10.5kg



No.DM-3000 Stand Type

Specifications: same as Desk Model

Max. Height: approx. 128cm





Non-ConTact Thermometer

No. MT-500

AAA

E&S

Power Supply : one AAA alkaline (LR03) battery

Electrical Rating : 1.5DVC, 0.09W Measuring Body Site: forehead Reference Body Site: armpit

Measurement Mode : body temperature,

object temperature, room air temperature

Measurement Range: body temperature +34.0 to +42.5°C

object temperature 0 to +100.0°C room air temperature -10.0 to +45.0°C

Weight: 50g(without batteries)

Packing: 40sets/carton : 0.066m³, 9.9kg



K2 PULSE 230



: Double wavelength lights absorption method Operating principle Measurement result display

Average of 4 pulses (automatic update at every pulse) %SpO2 0 - 100% Measurement Range

Pulse rate 30 - 240bpm Accuracy

%SpO2 ±2% (70%≤SpO2≤100%) Pulse rate $\pm 3\%/\pm 1$ digit (30 - 240bpm)

One AAA alkaline (LR03) battery Power source

Rated voltage DC 1.5V Rated power consumption 0.09W

Operating condition +10°C to +40°C, 30% to 85% RH (no condensation) Transportation/storage condition: -20°C to +60°C, 10% to 95% RH (no condensation)

: 60 (H) \times 35 (W) \times 32 (D) mm Size Approximately

Weight Approximately 37g (without battery) Packing : 40sets/Carton

: 0.0538m³, 6.65kg



ALP KE®





President's Message

 $ALPK \boxtimes is a well-known medical device brand such as Blood Pressure Monitors and Stethoscopes all over the world.$

It has a meaning of "aim for much higher goals", named after " $k \boxtimes$ ", the second highest mountain in the world.

Since the establishment of our company in $\boxtimes \boxtimes \boxtimes \boxtimes$, we have committed to support the medical services widely by trying to improve "the quality" of the products and "customer satisfaction" according to the management philosophy of our ALPK \boxtimes .

And our factory is ISO $\boxtimes \boxtimes \boxtimes \boxtimes \boxtimes \boxtimes$ certified, which means to manage ever better and safer quality.

We will respond sincerely and efficiently to our customers and continue to strive for further growth without being content with our present situation.

We have become aware of many counterfeit products bearing the brand name ALPK⊠. Please understand that the quality of our genuine ALPK⊠ products is far superior to those counterfeit products.



Aneroid Sphygmomanometer

Tensiometro Aneroide



CE with CE-Mark

CE according to an order

Cert

Free Sale Certificate offer of Japan Ministry of Health, Labour and Welfare is possible

Please use the genuine parts of our company in the case of parts exchange! Refer to 14-17 pages for each parts!!



1

Aneroid Sphygmomanometer No.500-V

·Manometer : 20 - 300mmHg (No.500-M) : with zero stop pin

·Accuracy : ±3mmHg ·Air System : Velcro Cuff with

Latex Bag (No.8292)

: Bulb & Valves (No.90)

·Weight : 430 g

Packing : 50 sets/carton

: 0.065m³, 23.0kg

Cert





2

Aneroid Sphygmomanometer No.500-VN

- · Design Box
- ·Other Specifications: same as No.500-V

*The color of Latex is Black or Green





Aneroid Sphygmomanometer for EU Model No.500-V-EU

·Manometer : 0-300mmHg

(No.500-ME) : without zero stop pin

·Accuracy : ± 3mmHg

· Air System : Velcro Cuff with

Latex Bag (No.8292): Bulb & Valves (No.90)

·Weight : 430 g

Packing : 50 sets/carton

: 0.065m³, 23.0kg

*The Label of CE-Mark indicated on Manometer & Box

CE

Cert



This product is conformity with EN1060-1 & EN1060-2



Aneroid Sphygmomanometer with Stethoscope No.501-V

·Manometer : 20-300mmHg (No.500-M) : with zero stop pin

·Accuracy : ±3mmHg

· Air System : Velcro Cuff (No.82+installed

single-head chestpiece) with

Latex Bag(No.79-2): Bulb & Valves (No.90)

· Stethoscope : Brass Binaural(No.B-03)

: Black Y-Tube(No.Y-05)

: Chestpiece(installed)

•Weight : 550 g

· Packing : 50 sets/carton

: 0.0767m³, 29.5 kg

Cert



Aneroid Sphygmomanometer with Stethoscope No.501-VN

·Design Box

 $\boldsymbol{\cdot}$ Other Specifications : same as No.501-V

Aneroid Sphygmomanometer for EU with Stethoscope No.501-V-EU

·Manometer : 0-300mmHg

(No.500-ME) : without zero stop pin

·Accuracy : ± 3mmHg

 $\hbox{$\cdot$ Air System} \qquad : Velcro \ Cuff(No.82+installed$

single-head chestpiece) with

Latex Bag(No.79-2): Bulb & Valves (No.90)

Stethoscope : Brass Binaural(No.B-03)

: Black Y-Tube(No.Y-05)

: Chestpiece(installed)

·Weight : 550g

Packing : 50 sets/carton

: 0.0767m³, 29.5kg

*The Label is indicated on Manometer & Box

This product is conformity with EN1060-1 & EN1060-2



No.500-ME

Please use the genuine parts of our company in the case of parts exchange! Refer to 14 - 17 pages for each parts!!



Aneroid Sphygmomanometer Ring Cuff with Stethoscope No.501-VR

: 20-300mmHg Manometer (No.500-M) : with zero stop pin

 Accuracy $: \pm 3mmHg$

· Air System : Ring Cuff(No.88+installed

single-head chestpiece) with

Latex Bag(No.79-2) Bulb & Valves (No.90)

• Stethoscope : Brass Binaural(No.B-03)

: Black Y-Tube(No.Y-05) : Chestpiece (installed)

• Weight : 590 g

Packing : 50 sets/carton

: 0.0767m³, 31.5 kg

Aneroid Sphygmomanometer Stethoscope Separate Type No.501-VS

: 20-300mmHg Manometer (No.500-MF) : with zero stop pin

 Accuracy $: \pm 3 mmHg$

·Air System : Velcro Cuff with Latex Bag (No.8292)

: Bulb & Valves (No.90)

·Stethoscope : Nurse's Stethoscope

No.NL-12 Black Tube

·Weight :550 g

Packing : 50 sets/carton

: 0.0767m³,29.5kg





Aneroid Sphygmomanometer Fluorescent Type No.500-DX

·Manometer : 20-300mmHg (No.500-MF) : with zero stop pin

 Accuracy $: \pm 3 \text{mmHg}$

· Air System : Nylon Cuff with Latex Bag (No.8292-N)

: Bulb & Valves (No.90)

·Weight : 430 g

· Packing : 50 sets/carton

 $: 0.065 \text{m}^3, 23.0 \text{kg}$



No.500-MF



Cert Certification is the notation of No.500-C

Aneroid Sphygmomanometer for Pediatrics No.500-C2 ~ C5

·Manometer : 20-300mmHg (No.500-M) : with zero stop pin

•Accuracy : ± 3 mmHg

· Air System : Velcro Cuff for Pediatrics

with Latex Bag : Bulb & Valves (No.90)

Item No.	Cuff Size	Type
No.500-C2	$4.5 \times 26.0 \text{ cm}$	Infant
No.500-C3	6.5×28.0 cm	Children
No.500-C4	8.5×30.0 cm	Children-M
No.500-C5	10.5 × 34.0 cm	Children-L

• Weight : 300 g(No.500-C3) • Packing : 50 sets/carton

: 0.065m³, 16.0 kg

2 Aneroid Sphygmomanometer Nylon Cuff for Pediatrics No.500-CN1 ~ 3

·Manometer : 20-300mmHg (No.500 M) : with zero stop pin

·Accuracy : ±3mmHg

· Air System : Nylon Cuff for Pediatrics

with Latex Bag(Black)
: Bulb & Valves (No.90)

Item No.	Cuff Size	Type
No.500 CN1	$5.5 \times 17.5 \text{ cm}$	New Born
No.500 CN2	$7.5 \times 25.0 \text{ cm}$	Infant
No.500 CN3	11.0 × 34.0 cm	Children

• Weight : 320 g(No.500-CN2) • Packing : 50 sets/carton





CE

One-Hand Type Aneroid Model No.K2-502

·Manometer : 20-300mmHg

: without zero stop pin

·Accuracy : ±3mmHg

·Air System : Nylon Cuff with

Latex Bag (No.8292-N)

: Bulb & Valves (installed in the body)

·Weight : 400 g

Packing : 40 sets/carton

: 0.099m³, 17.4kg



Aneroid Sphygmomanometer Large Face Bedside Type No.500-W-1



·Manometer :20-300mmHg (No.500-MW) :with zero stop pin

·Accuracy :±3mmHg ·Air System :Nylon Cuff with

Latex Bag (No.8292-N): Bulb & Valves (No.90)

·Weight :1.1 kg

·Packing :24 sets/carton

:0.1289m³, 29.0kg

Aneroid Sphygmomanometer Large Face Stand Type No.500-W-3



CE

Cert

Mobile Unit :5-Legs Base Unit with Caster
Other Specifications : same as No.500-W-1

•Weight :5.0 kg •Packing :4 sets/carton :0.0787m³, 22.0 kg

Aneroid Sphygmomanometer Large Face Wall Type No.500-W-2



·Specifications: same as No.500-W-1

·Weight : 840 g

• Packing : 24 sets/carton

: 0.1289m³, 23.0kg



Cert





·Manometer : 20-300mmHg (No.500 MW) : with zero stop pin ·Accuracy : ±3mmHg

· Air System : Nylon Cuff with

Latex Bag (No.8292-N): Bulb & Valves (No.90)

·Weight : 1.1 kg

• Packing : 12 sets/carton

 $: 0.077 \text{m}^3, 14.5 \text{ kg}$

Cuff & Latex Bag

*The Cuff Set for Sphygmomanometers combines Cuff and Latex Bag. Two Examples are shown below!

Cuff



Latex Bag







*Cuff should use suitable size by measurement part etc.

The same line corresponds

	r ar	elli.
	-	31

No.	Туре	Size	weight
72	Velcro Cuff Infant	4.5×26.0	10g
75	Velcro Cuff Children	6.5×28.0	14 g
76	Velcro Cuff Children-M	8.5×30.0	16g
77	Velcro Cuff Children-L	10.5×34.0	20g
82	Velcro Cuff Adult	14.5×50.0	48g
82-N	Nylon Cuff Adult W/ALPK2	14.5×54.0	40g
83	Velcro Cuff Large Adult	14.5×58.0	54g
86	Velcro Cuff U.S. Adult	14.5×60.0	55g
87	Velcro Cuff Special Large	17.5×67.0	90g
88	D-Ring Cuff Adult	14.5×52.0	88g
89	Velcro Cuff Thigh	20.0×100.0	120g
80	Bandage Cuff Adult	14.5×100.0	55g
81	Bandage Cuff Children	6.5×70.0	20g
DN-1	Nylon Cuff New Born	5.5×18.5	5 g
DN-2	Nylon Cuff Infant	7.5×26.5	12g
DN-3	Nylon Cuff Children	11.0×35.5	28g
DN-4	Nylon Cuff Adult	15.0×54.5	40g
DN-5	Nylon Cuff Large Adult	17.5×62.5	50g
DN-6	Nylon Cuff Thigh	21.5×82.5	80g

Latex Bag

No.	Туре	Size	weight
79-4	for Infant	3.0×15.0	39g
79-3	for Children	5.0×20.0	46g
79-3M	for Children-M	7.0×20.0	62g
79-3L	for Children-L	9.0×22.0	82g
79-2	for Adult	12.0×22.5	96g
79-2	for Adult	12.0×22.5	96g
79-2	for Adult	12.0×22.5	96g
79-2	for Adult	12.0×22.5	96g
79-1	for Special Large	15.0×32.0	132g
79-2	for Adult	12.0×22.5	96g
79-0	for Thigh	18.0×38.0	120g
79-2	for Adult	12.0×22.5	96g
79-3	for Children	5.0×20.0	46g
DB-1	for New Born N	4.0×8.0	48g
DB-2	for Infant N	5.5×11.5	55g
DB-3	for Children N	8.0×16.5	60g
DB-4	for Adult N	12.0×22.5	96g
DB-5	for Large Adult N	15.0×32.0	135g
DB-6	for Thigh N	18.0×38.0	200 g

^{*}The combinations of Cuffs & Latex Bags are as in the following table.

Cuff Set





Cuff Set

1			
	No.	Туре	weight
	VC-2	Velcro Cuff Set for Infant	49g
	VC-3	Velcro Cuff Set for Children	60g
	VC-4	Velcro Cuff Set for Children-M	78g
	VC-5	Velcro Cuff Set for Children-L	102g
	8292	Velcro Cuff Set for Adult	144g
	8292-N	Nylon Cuff Set for Adult	136g
	8392	Velcro Cuff Set for Large Adult	150g
	8692	Velcro Cuff Set for U.S.Adult	151g
	8791	Velcro Cuff Set for Special Large	222g
	8892	D-Ring Cuff Set for Adult	184g
	8990	Velcro Cuff Set for Thigh	240g
	8092	Bandage Cuff Set for Adult	151g
	8193	Bandage Cuff Set for Children	66g
	NC-1	Nylon Cuff Set for New Born	53g
	NC-2	Nylon Cuff Set for Infant	67g
	NC-3	Nylon Cuff Set for Children	88g
	NC-4	Nylon Cuff Set for Adult	136g
	NC-5	Nylon Cuff Set for Large Adult	185g
	NC-6	Nylon Cuff Set for Thigh	280g


Various kinds of Velcro Cuffs



Various kinds of Other Cuffs



Various kinds of Nylon Cuffs



Various kinds of Latex Bags



Single Tube Latex Bag



No.79-2S

Parts for Sphygmomanometer

Aneroid Manometer

Manometers of the following 3Type

Weight : 150 g

Packing : 100 pcs/carton

: 0.0656m³, 16.0 kg

No.500-M : Standard Type -

: with Zero Stop Pin
: 20-300mmHg

No.500-MF: Fuluorescent Type

: with Zero Stop Pin

: 20-300mmHg

No.500-ME : for EU Type

: without Zero Stop Pin

: 0-300mmHg

: complies with EN1060-1&2 -

No.PG-1 : Manometer Glass

: Acryl -



Large Manometer



No.500-MW: 6" Large Face Type

: without Zero Stop Pin

: 20-300mmHg

Weight: 600 g

Packing: 24 pcs/carton

: 0.1289m³, 17.0 kg

Zipper Case



- No.LBS-2: for No.500 Series


: Brand Logo Printed *No. LBS-2N : without Print

*No. LBS-2N : without Print

No.LBS-3: for No.501 Series

: Brand Logo Printed *No.LBS-3N : without Print

Bulb & Valves



Bulb & Complete Set



No.90 : Bulb Complete Set
(No.91,92,93 Complete Set)
Weight : 56 g (Including Box)
Packing : 250 pcs/carton
: 0.0704m³, 15.0 kg

Coil Tube




Latex Coil Tube

Overall Length : 2m Weight : 50 g

Packing : 250 pcs/carton

: 0.034m³, 14.0 kg

Stethoscope Estetoscopio





with CE-Mark



CE according to an order



K2-Clinicphone "Harmonia" No.FT-01

·Chestpiece : Bell&Diaphragm,

(No.801C) Two-Way Type Stainless •Binaural : Swing Binaural(No.B-08)

Type Stainless

·Y-Tube : assembled with Binaural

: Black Color

·Weight :406 g

·Packing : 25 sets/carton

: 0.0484m³, 13.8 kg



Double Head Stethoscope for EU Type No.FT-801-EU

Chestpiece : Bell&Diaphragm,(No.801C) Two-Way Type

: Aluminum

: with CE mark

Binaural : Brass Binaural(No.B-03)Y-Tube : P.V.C.Y-Tube(No.Y-05)

: Grey or Black Color

·Weight :130 g

•Packing : 100 sets/carton

: 0.0586m³, 14.5 kg



CE

Cert



The proper use is printed in a box!



Double Head Stethoscope Standard No.FT-801

·Chestpiece : Bell & Diaphragm, Two-Way Type

(No.801C) : Aluminum

: Brass Binaural(No.B-03) · Binaural · Y-Tube : P.V.C.Y-Tube(No.Y-05) : Grey or Black Color

• Weight : 130 g

Packing : 100 sets/carton : 0.0586m³, 14.5 kg



Nurse's Stethoscope Standard No.NL-12

 Chestpiece : Diaphragm, Single-Head Type

(No.NL12C) : Aluminum

·Binaural : Brass Binaural(No.B-03) · Y-Tube : P.V.C.Y-Tube(No.Y-05) : Grey or Black Color

Weight : 110 g

· Packing : 100 sets/carton

: 0.0586m³, 12.5 kg



Double Head Stethoscope Color No.FT-800

· Chestpiece : Bell & Diaphragm, Two-Way Type (No.801C) : Aluminum, 7 Colors

·Binaural : Aluminum Binaural(No.B-04)

• Y-Tube : P.V.C.Y-Tube(No.Y-05)

: Basic 7 Colors

: 112 g · Weight

·Packing : 100 sets/carton

 $: 0.0586 \,\mathrm{m}^3, 12.7 \,\mathrm{kg}$



Nurse's Stethoscope Color No.NL-11

· Chestpiece : Diaphragm Single-Head Type (No.NL12C) : Aluminum,7 Colors

·Binaural : Aluminum Binaural (No.B-04)

· Y-Tube : P.V.C.Y-Tube(No.Y-05)

: Basic 7 Colors

·Weight : 102 g

: 100 sets/carton Packing : 0.0586m³, 11.7 kg

















Double Head Stethoscope Pediatric Standard No.FT-805


·Chestpiece : Bell & Diaphragm, Pediatric Type

(No.805C) : Aluminum

Binaural
Y-Tube
P.V.C.Y-Tube (No.Y-05)
Grey or Black Color

·Weight : 115 g

• Packing : 100 sets/carton : 0.0586m³, 13.0 kg



7 Double Head Stethoscope Infant No.FT-806

· Chestpiece : Bell & Diaphragm Infant Type

(No.806C) : Brass

Binaural
Y-Tube
P.V.C.Y-Tube(No.Y-05)
Grey or Black Color

·Weight : 115 g

• Packing : 100 sets/carton : 0.0586m³, 13.0 kg



6 Double Head Stethoscope Pediatric Color No.FT-805

·Chestpiece : Bell & Diaphragm Pediatric Type

(No.805C) : Aluminum, Red, Yellow, Green, Blue, Pink

• Binaural : Aluminum Binaural(No.B-04)
• Y-Tube : P.V.C.Y-Tube(No.Y-05)

: Red, Yellow, Green, Blue, Pink

·Weight : 107 g

· Packing : 100 sets/carton

: 0.0586m³, 12.2 kg



8 TARSCOPE (Rappaport Type) No.807

· Chestpiece : Interchangeable with 5 Parts

(No.807C) : Bras

•Binaural : Brass Binaural(No.B-00)
•Tube : 56cm P.V.C.Tube

: 56cm P.V.C.Tube : Black Color

· Accessories : Ball 3 kinds(S,M,L)

: Diaphragm 2 kinds (S.L)

: Ear Tips 2 types

·Weight : 375 g

• Packing : 50 sets/carton

 $: 0.0868 \,\mathrm{m}^3, \, 20.5 \,\mathrm{kg}$



Double Head Stethoscope Deluxe No.FT-802

·Chestpiece : Bell & Diaphragm, Two-Way Type

(No.801C) : Aluminum

· Binaural : Brass Binaural DX(No.B-05) · Y-Tube : Inner Spring Type Binaural

: Grey or Black Color

: with Zipper Case(No.LBS-1)

Weight : 250 g

· Packing : 50 sets/carton : 0.0723m³, 14.5 kg



Double Head Stethoscope Deluxe Stainless Type No.FT-802-D

 Chestpiece : Bell & Diaphragm, Two-Way Type

(No.801DC) : Stainless

·Binaural : Stainless Binaural(No.B-06) : Inner Spring Type Binaural · Y-Tube

: Grey or Black Color

: with Zipper Case(No LBS-1)

· Weight : 280 g

: 100 sets/carton : 0.1167m³, 29.5 kg Packing



Twin-Stethoscope(W) No.FT-801-W

: Bell & Diaphragm, Two-Way Type · Chestpiece (No.801C)

: Aluminum

·Binaural : Brass Binaural(No.B-03) 2pcs : P.V.C.Y-Tube(No.Y-05) 2pcs : Black Color • Y-Tube

: 280 g ·Weight

·Packing : 100 sets/carton

 $: 0.1386 \,\mathrm{m}^3, 29.5 \,\mathrm{kg}$



Twin-Stethoscope(5) No.NL-12-W

· Chestpiece : Diaphragm, Single-Head Type

(No NL12C) : Aluminum

·Binaural : Brass Binaural(No.B-03) 2pcs · Y-Tube : P.V.C.Y-Tube(No.Y-05) 2pcs

: Black Color

: 260 g Weight

 Packing : 100 sets/carton

: 0.1386m³, 27.5 kg





·Chestpiece : Bell & Diaphragm Two-Way Type

(No.801DC) : Stainless

BinauralY-TubeBrass Binaural(No.B-03)P.V.C.Y-Tube(No.Y-05)

: Grey or Black Color

·Weight : 150 g

• Packing : 100 sets/carton

: 0.0586m³, 17,0kg



6 Double Head Stethoscope Deluxe Color No.FT-803

Each Specifications : same as No.FT-802 *Chestpiece & Y-tube : Color Type



7 Traditional Stethoscope Ford Type No.6001

·Chestpiece : Bell

• Binaural : Brass Binaural(No.B-03)
• Tube : 50cm P.V.C.Tube 2pcs

: Black Color

·Weight : 180 g

• Packing : 100 sets/carton

 $: 0.091 \,\mathrm{m}^3, \, 20.0 \,\mathrm{kg}$



No.FT-902

·Chestpiece : Bell & Diaphragm, Two-Way Type

: Hard Coated Aluminum
: Binaural : Swing Binaural(No.B-08)

Y-Tube : assembled with Binaural: Grey or Black Color

•Extra Parts : Diaphragm(No.D-55) 1pc

: Ear Tips (No PE-3) 2pcs

·Weight : 370 g

• Packing : 25 sets/carton

: 0.0484m³, 11.5 kg

Aluminum Double Head No.801C





Aluminum Single Head No.NL12C





Aluminum Double Head for Pediatric No.805C





Brass Double Head for Infant
No.806C

Stainless Double Head No.801DC

Other Heads No.807C No.6001C







Diaphragm




No.D-11 : No.805C No.D-22 : No.806C No.D-44 : No.801C : No.NL12C

No.D-55 :Logo Printed No.D-66 :No.801DC

P.V.C.Y.-Tube No.Y-05







Brass Binaural No.B-03




- ·Brass Tube 5Φ mm Dia.
- ·Weight: 30 g

Aluminum Binaural No.B-04



Brass Binaural No.B-00 & B-02



No.B-00: Non-Folding Type No.B-02: Folding Type

Ear Tips



No.PE-1 : White No.PE-2 : Black No.PE-3 : Mushroom

DX Binaural (Inner Spring Type)



No.B-05
• Brass Type



No.B-06
• Stainless Type



No.B-07
• Brass Swing Type



No.B-08

· Stainless Swing Type

Diagnostic Instruments & Others Instrumentos de Diagnostico y Otros

according to an order

Free Sale Certificate offer of Japan Ministry of Health, Labour and Welfare is possible



: Bulb 2.2V-0.25A Nipple Penlight (Mini Type) : Battery AAA 2pcs

· Illuminator : Nasal Illuminator (Acryl) : Throat Illuminator

: Otoscope Illuminator

·Weight : 196 g

 Packing : 100 sets/carton

: 0.0807m³, 21.5 kg





Penlight-Mini No.1000-A

· Penlight : Bulb 2.2V-0.25A Nipple

: Battery AAA 2pcs

· Pupil Gauge : Label / Option

·Weight : 54 g

·Packing : 200 sets/carton

 $: 0.033 \,\mathrm{m}^3, 12.0 \,\mathrm{kg}$

Head Mirror No.R-10026



: 9cm Dia with Cover Mirror

·Focus : 300mm · Head Band : Black Fiber

· Weight

: 150 g : 100 sets/carton ·Packing

: 0.0524m³, 16.5 kg





·Tayler Type : Black Rubber

·Weight

: 70 g : 300 sets/carton · Packing

: 0.027m³, 22.5 kg






·Range : 2m

· Packing : 500 pcs/carton

 $: 0.06 \text{m}^3, 18.5 \text{ kg}$

Please use the genuine parts of our company in the case of parts exchange! Please ask the purchased store about replacement parts!!



Halogen Ophthalmoscope No.1001

· Complete with : Halogen Ophthalmoscope Head

: Handle (No.SM-030)

: Halogen Bulb(No SMH-030)

: Dry Battery C 2pcs : Carrying Case

Weight : 370 g(including batteries)

·Packing : 40 sets/carton

: 0.0406m³, 22.0 kg



· Complete with : Otoscope Head

: Handle (No.SM-030)

: Bulb 3V 3W(No SML-001)

: Specula (3,5,7mm) : Dry Battery C 2pcs

: Carrying Case

· Weight : 400 g(including batteries)

·Packing : 40 sets/carton

: 0.0573m³, 26.5 kg



Cert







· Complete with : No.1001&No.2001

·Specifications : same as No.1001&No.2002

: Dry Battery C 2pcs : Carrying Case

·Weight : 550 g(including batteries)

· Packing : 20 sets/carton

: 0.0338m³, 14.5 kg




Cert

Please use the genuine parts of our company in the case of parts exchange! Please ask the purchased store about replacement parts!!

Rechargeable Battery Set No.RB-1

Option Set

- · AC-Adaptor
- Rechargeable Battery
 Exclusive use Bottom Lid



This Set can be used for All Model



Halogen Diagnostic Full Set No.5001

·Complete with: No.3001

: Laryngeal Mirror : Tongue Blade Holder

·Specifications : Same as No.3001 : Dry Battery C 2pcs

: Carrying Case

·Weight : 670 g(including batteries)

· Packing : 20 sets/carton

: 0.0338m³, 15.5 kg



Seeks to Gain 100% Customer Satisfaction.



https://alpk2.jp/info@alpk2.jp



Specifications may subject to change without prior notice.