



Specification

Construction

Combined between steel pipes (Ø31.8mm, Ø25.4mm, Ø16mm and rectangular size 40x20mm), assembled with MIG/MAG welding process.

Mattress Platform

Made of steel sheet with phosphate coating (thickness 1.1mm), perforated with emboss style and equipped with mattress stopper at sides which made of steel rod Ø8 mm.

Head Panel and Foot Panel

Made of steel pipes (Ø31.8mm, Ø25.4mm & Ø16mm), assembled with MIG/MAG welding process.

Safety Side Guard

Sliding type and made of steel pipes (Ø25.4mm & Ø16 mm), assembled with MIG/MAG welding process.

Positions

Flat (Without Back Raise)

I.V. Pole

Made of stainless steel pipes (Ø16mm and Ø19 mm) and adjustable height with locking screw, can be located in four different position.

Castor

Four 5" swivel castor (two with brakes & swivel locks)

Coating

Epoxy powder coating finish

Max. Load

120 Kg.

Net Weight (approx.)

53 Kg.

Dimension (approx.)

Overall: (L)1770 x (W)835 x (H)1390mm.


On mattress platform: (L)1700 x (W)700 x (H)690mm.

Packaging

Knock-Down System

Children Bed, Steel - 33605B

Dimension (mm)



Specification subject to change without prior notice

CHILDREN BED - 33605B

Certified By TÜV : ✓ ISO 13485:2012 ✓ ISO 9001:2008 ✓ ISO 14001:2004 ✓ OHSAS 18001:2007